





What the LENOX® Heritage of Quality and Performance Means for You.



The LENOX® name is inspired by the speed, strength and sharp teeth of the wolves that once roamed the hills near the western shore of Loch Lomond in Scotland - home to the Earl of LENOX®.

With that inspiration, we began our company in 1915, making the first LENOX® hacksaw blades with just ten employees. Now, over 95 years later, LENOX® remains dedicated to producing the highest quality, best performing cutting products. As a result, we have grown to employ more than 600 people. Most of them work at our ISO 9001 certified facility in East Longmeadow, Massachusetts, U.S.A., where we design, test and manufacture a broad range of power tool accessories and hand tools. Professionals count on the performance of our products in more than 70 countries around the world.

We continue to invest in our facilities, strongly supporting research and development and integrating the most advanced manufacturing technology. The result is the breakthrough performance and endurance of our newest products - including our LENOX® Speed Slot T2 Hole Saw.














Above all, we are committed to fully meeting the needs of our customers and ensuring complete satisfaction with our products and services. If you are new to LENOX®, thank you for the opportunity to earn your business.

Contents

| | Page |
|----------------------------------|-----------|
| Power Tool Accessories | 2 |
| Reciprocating Saw Blades | 2 |
| Jigsaw Blades | 7 |
| Hole Saws | 8 |
| Arbors | 10 |
| Hole Saw Kits | 10 |
| Hole Cutters & Drilling Products | 11 |
| Diamond® Hole Saws | 12 |
| Vari-Bit Step Drill Bits | 12 |
| PROTOOL LUBE Lubricant | 13 |
| Hand Tools | 14 |
| Handsaws | 14 |
| Hacksaw Frames & Blades | 15 |
| Plastic Tubing Cutters | 17 |
| Metal Tubing Cutters | 19 |
| Pipe Slices | 20 |



Reciprocating Saw Blade Selection Guide

| | WOOD | NAIL-EMBEDDED WOOD | NON-FERROUS METAL | DEMOLITION | FIRE & RESCUE | PLASTICS & COMPOSITES | THICK METAL | MEDIUM METAL | THIN METAL | DRYWALL/PLASTER | CEMENT BOARD | CAST IRON | ABRASIVES |
|--------|---|---|---|---|---|---|--|---|---|---|---|---|---|
| |  |  |  |  |  |  |  |  |  |  |  |  |  |
| BEST | LENOX Gold™ | | | | | | | | | CARBIDE TIPPED | LENOX DIAMOND™ | | |
| BETTER | BI-METAL | LAZER™ | BI-METAL | LAZER™ | BI-METAL | LAZER™ | BI-METAL | LAZER™ | BI-METAL | BI-METAL | LENOX DIAMOND™ | CARBIDE GRIT | |
| GOOD | - | BI-METAL | - | BI-METAL | - | BI-METAL | - | BI-METAL | - | CARBIDE GRIT | - | - | - |

LENOX®
Gold™



Why use the new T2™ Blades?

Lasts longer: Up to 100%*

Cuts faster: Up to 25%*

Shatter resistant: Bi-Metal

*vs previous Lenox blades

T2™ proprietary technology now available across the entire Gold Reciprocating Saw Blades line.

Longest Lasting Blade. Ever.

EXTENDED BLADE LIFE

T2™ Technology and precision applied titanium coating help dissipate heat making blades last longer

FASTER CUTS

Titanium coating makes teeth more wear resistant so they stay sharp for quicker cuts

DURABLE CONSTRUCTION

Bi-metal design stands up to the most demanding applications

LENOX Gold™ Titanium Edge Reciprocating Saw Blades



LENOX Gold™ Wood Cutting, 5 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|------------|----------------------------|--------------|-------------|-----------------|
| 21060656GR | 656G 152 x 19 x 1,3mm 6TPI | 082472201606 | 500 | 5 |
| 21061156GR | 156G 305 x 19 x 1,3mm 6TPI | 082472201613 | 250 | 5 |
| 21062956GR | 956G 229 x 19 x 1,3mm 6TPI | 082472201620 | 250 | 5 |
| 21063676GR | 676G 152 x 11 x 1,3mm 6TPI | 082472201637 | 500 | 5 |

LENOX Gold™ Metal Cutting, 5 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|------------|-----------------------------|--------------|-------------|-----------------|
| 21064610GR | 610G 152 x 19 x 0,9mm 10TPI | 082472210644 | 500 | 5 |
| 21065810GR | 810G 203 x 19 x 1,3mm 10TPI | 082472210651 | 250 | 5 |
| 21066414GR | 414G 102 x 19 x 0,9mm 14TPI | 082472210668 | 500 | 5 |
| 21067614GR | 614G 152 x 19 x 0,9mm 14TPI | 082472210675 | 500 | 5 |
| 21068418GR | 418G 102 x 19 x 0,9mm 18TPI | 082472210682 | 500 | 5 |
| 21069618GR | 618G 152 x 19 x 0,9mm 18TPI | 082472210699 | 500 | 5 |
| 21070818GR | 818G 203 x 19 x 0,9mm 18TPI | 082472210705 | 250 | 5 |
| 21071424GR | 424G 102 x 19 x 0,9mm 24TPI | 082472210712 | 500 | 5 |
| 21072624GR | 624G 152 x 19 x 0,9mm 24TPI | 082472210729 | 500 | 5 |
| 21073824GR | 824G 203 x 19 x 0,9mm 24TPI | 082472210736 | 250 | 5 |

LENOX Gold™ Demolition, 5 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|-------------|-----------------------------|--------------|-------------|-----------------|
| 210886066GR | 6066G 152 x 22 x 1,6mm 6TPI | 082472210880 | 500 | 5 |
| 21089960GR | 960G 229 x 22 x 1,6mm 10TPI | 082472210897 | 250 | 5 |
| 21090966GR | 966G 229 x 22 x 1,6mm 6TPI | 082472210903 | 250 | 5 |
| 21091106GR | 106G 305 x 22 x 1,6mm 6TPI | 082472210910 | 250 | 5 |

LENOX Gold™ Heavy Metal Cutting (LAZER™), 5 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|--------------|-------------------------------|--------------|-------------|-----------------|
| 210926108GR | 6108G 152 x 25 x 1,1mm 8TPI | 082472210927 | 500 | 5 |
| 210969108GR | 9108G 229 x 25 x 1,1mm 8TPI | 082472210965 | 250 | 5 |
| 210936110GR | 6110G 152 x 25 x 1,1mm 10TPI | 082472210934 | 500 | 5 |
| 210979110GR | 9110G 229 x 25 x 1,1mm 10TPI | 082472210972 | 250 | 5 |
| 2110012110GR | 12110G 305 x 25 x 1,1mm 10TPI | 082472211009 | 250 | 5 |
| 210946114GR | 6114G 152 x 25 x 1,1mm 14TPI | 082472210941 | 500 | 5 |
| 210989114GR | 9114G 229 x 25 x 1,1mm 14TPI | 082472210989 | 250 | 5 |
| 2110112114GR | 12114G 305 x 25 x 1,1mm 14TPI | 082472211016 | 250 | 5 |
| 210956118GR | 6118G 152 x 25 x 1,1mm 18TPI | 082472210958 | 500 | 5 |
| 210999118GR | 9118G 229 x 25 x 1,1mm 18TPI | 082472210996 | 250 | 5 |
| 2110212118GR | 12118G 305 x 25 x 1,1mm 18TPI | 082472211023 | 250 | 5 |



Multi Material Reciprocating Saw Blades, 5 Pack



| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|----------|--------------------------------|---------------|-------------|-----------------|
| 1769340 | 635R 152 x 19 x 0,9mm 10/14TPI | 5706915078565 | 500 | 5 |
| 1769341 | 835R 203 x 19 x 0,9mm 10/14TPI | 5706915078572 | 250 | 5 |

LENOX 



Technology

Lazer™ Reciprocating Saw Blades



Technology

LENOX Lazer™ Blades, 5 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|-------------|-------------------------------|--------------|-------------|-----------------|
| 201706110R | 6110R 152 x 25 x 1,1mm 10TPI | 082472201703 | 500 | 5 |
| 201726114R | 6114R 152 x 25 x 1,1mm 14TPI | 082472201727 | 500 | 5 |
| 201746118R | 6118R 152 x 25 x 1,1mm 18TPI | 082472201741 | 350 | 5 |
| 201769110R | 9110R 229 x 25 x 1,1mm 10TPI | 082472201765 | 250 | 5 |
| 201789114R | 9114R 229 x 25 x 1,1mm 14TPI | 082472201789 | 250 | 5 |
| 201809118R | 9118R 229 x 25 x 1,1mm 18TPI | 082472201802 | 200 | 5 |
| 2018212110R | 12110R 305 x 25 x 1,1mm 10TPI | 082472201826 | 250 | 5 |
| 2018412114R | 12114R 305 x 25 x 1,1mm 14TPI | 082472201840 | 250 | 5 |
| 2019012118R | 12118R 305 x 25 x 1,1mm 18TPI | 082472201901 | 200 | 5 |

LENOX Lazer™ Blades, 25 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|--------------|-------------------------------|--------------|-------------|-----------------|
| 20173B6114R | 6114R 152 x 25 x 1,1mm 14TPI | 082472201734 | 500 | 25 |
| 20175B6118R | 6118R 152 x 25 x 1,1mm 18TPI | 082472201758 | 500 | 25 |
| 20179B9114R | 9114R 229 x 25 x 1,1mm 14TPI | 082472201796 | 350 | 25 |
| 20185B12114R | 12114R 305 x 25 x 1,1mm 14TPI | 082472201857 | 250 | 25 |

Demolition Reciprocating Saw Blades



Demolition Blades, 2 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|------------|-----------------------------|--------------|-------------|-----------------|
| 20500106R | 106R 305 x 28 x 1.6mm 6TPI | 082472205008 | 120 | 2 |
| 205126066R | 6066R 152 x 28 x 1.6mm 6TPI | 082472205121 | 240 | 2 |
| 20597960R | 960R 229 x 28 x 1.6mm 10TPI | 082472205978 | 120 | 2 |
| 20598966R | 966R 229 x 28 x 1.6mm 6TPI | 082472205985 | 120 | 2 |

Demolition Blades, 5 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|------------|-----------------------------|--------------|-------------|-----------------|
| 20371966R5 | 966R 229 x 28 x 1,6mm 6TPI | 082472203714 | 250 | 5 |
| 20372960R5 | 960R 229 x 28 x 1,6mm 10TPI | 082472203721 | 250 | 5 |

Why use the new T2™ Blades?

Lasts longer: Up to 100%*

Cuts faster: Up to 25%*

Shatter resistant: Bi-Metal

*vs previous Lenox blades

T2™ proprietary technology now available across the entire LAZER Reciprocating Saw Blades line.

Longer lasting: Lasts 45% longer than standard bi-metal blades

Greater strength and durability: Unique blade geometry reinforces traditional weak areas, creating stronger and more durable blades

Shatter resistant: Bi-metal blades bend and resist breaking and extend blade life

Optimised performance: Thicker (1.1 mm) and wider (25 mm) blades minimise whipping for straighter and smoother cuts



Technology

T2™ TECHNOLOGY

Tooth design delivers up to 2x the life versus previous model making demolition jobs faster and easier

MAXIMUM DURABILITY

The tallest blade on the market (28mm) prevents bending and provides maximum control in the toughest demolition applications

OPTIMISED BLADE GEOMETRY

Each blade has a unique configuration including an aggressive tang angle and tapered blade shape to allow for cutting in tight areas



Shatter resistant: Bi-metal blades bend and resist breaking and extend blade life

Optimised performance: Thicker (1,3mm) and wider (20mm) blades minimise whipping for straighter and smoother cuts

Extreme versatility: Designed to cut easily through the toughest materials. Cuts dimensional lumber, angle iron, fasteners and metal pipe - simultaneously

Demolition Blades, 25 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|-------------|-----------------------------|--------------|-------------|-----------------|
| 20514B6066R | 6066R 152 x 28 x 1,6mm 6TPI | 082472205145 | 500 | 25 |
| 20524B960R | 960R 229 x 28 x 1,6mm 10TPI | 082472205244 | 250 | 25 |
| 20523B966R | 966R 229 x 28 x 1,6mm 6TPI | 082472205985 | 250 | 25 |
| 20485B106R | 106R 305 x 28 x 1,6mm 6TPI | 082472204858 | 250 | 25 |

Heavy-Duty Reciprocating Saw Blades



Heavy-Duty Blades, 2 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|-----------|--------------------------------|--------------|-------------|-----------------|
| 20592650R | 650R 152 x 19 x 1,3mm 10/14TPI | 082472210644 | 240 | 2 |

Heavy-Duty Blades, 5 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|------------|--------------------------------|--------------|-------------|-----------------|
| 20374650R5 | 650R 152 x 19 x 1.3mm 10/14TPI | 082472203745 | 500 | 5 |
| 20577850R | 850R 203 x 19 x 1.3mm 10/14TPI | 082472205770 | 250 | 5 |

Heavy-Duty Blades, 25 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|------------|--------------------------------|--------------|-------------|-----------------|
| 20515B650R | 650R 152 x 19 x 1,3mm 10/14TPI | 082472205152 | 500 | 25 |

ER-Style Reciprocating Saw Blades



ER-Style Blades, 5 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|------------|---------------------------------|--------------|-------------|-----------------|
| 20482110ER | 110ER 298 x 25 x 0,9mm 10/14TPI | 082472204827 | 250 | 5 |
| 20483608ER | 608ER 140 x 25 x 1,6mm 8TPI | 082472204834 | 250 | 5 |
| 20484708ER | 708ER 200 x 25 x 1,6mm 8TPI | 082472204841 | 250 | 5 |

Diamond Grit Reciprocating Saw Blades



Diamond Grit Blades, 1 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|-------------|--|--------------|-------------|-----------------|
| 10833800RDG | 800RDG 200 x 19 x 1mm Diamond Grit | 082472108330 | 90 | 1 |
| 1766338 | 800DTDG 225 x 19 x 1mm Diamond Grit, Double Tang | 885363000740 | 90 | 1 |
| 1766356 | 100DTDG 275 x 19 x 1mm Diamond Grit, Double Tang | 885363000757 | 90 | 1 |



Cuts Cast. Fast.

Cuts 3x faster* Narrowed kerf edge removes a thinner cross-section of material for faster cutting

Lasts 3x longer* Industrial diamonds embedded in high-strength nickel alloy braze

*compared to Lenox® carbide grit reciprocating saw blades

Master-Grit™ Blades, 2 Pack



| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|------------|----------------------------|--------------|-------------|-----------------|
| 20505600RG | 600RG 152 x 20 x 0,8mm MCG | 082472205053 | 240 | 2 |
| 20506100RG | 100RG 254 x 20 x 1,3mm MCG | 082472205060 | 100 | 2 |
| 20576800RG | 800RG 203 x 20 x 1,0mm MCG | 082472205763 | 100 | 2 |



Long lasting: Super hard (RA 90-93) cutting edge cuts through even the toughest materials

Abrasive cutting: Cuts through cast iron, fibreglass, ceramic tile, clay, pipe, stone, brick, plaster and marble

Smooth cutting: MASTER-GRIT™ does not snag or chip, providing smooth cuts

Carbide Tipped Reciprocating Saw Blades, 1 Pack

Fast cutting LENOX® triple chip tooth grind cuts 25% faster than standard carbide blades.

Extreme performance Designed to cut through fibreglass, cement board, rubber and other difficult to cut materials.

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|--------------|--|--------------|-------------|-----------------|
| 205956563RCT | 6563RCT 152 x 19 x 1,3mm 6TPI, Contour Bk | 082472205954 | 150 | 1 |
| 205966565RCT | 6565RCT 152 x 19 x 1,3mm 6TPI, Straight Bk | 082472205961 | 150 | 1 |
| 205998535RCT | 8535RCT 203 x 19 x 1,3mm 3TPI, Straight Bk | 082472205992 | 100 | 1 |

Standard Bi-Metal Reciprocating Saw Blades, 5 Pack



| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|------------|--------------------------------|--------------|-------------|-----------------|
| 20449456RP | 456RP 102 x 19 x 1,3mm 6TPI | 082472204490 | 500 | 5 |
| 20520314RC | 314RC 92 x 8 x 0,9mm 14TPI | 082472205206 | 250 | 5 |
| 20521318RC | 318RC 92 x 8 x 0,9mm 18TPI | 082472205213 | 500 | 5 |
| 20550414R | 414R 102 x 19 x 0,9mm 14TPI | 082472205503 | 500 | 5 |
| 20552418R | 418R 102 x 19 x 0,9mm 18TPI | 082472205527 | 500 | 5 |
| 20554424R | 424R 102 x 19 x 0,9mm 24TPI | 082472205541 | 500 | 5 |
| 20556676RC | 676RC 152 x 11 x 1,3mm 6TPI | 082472205565 | 500 | 5 |
| 20560606R | 606R 152 x 19 x 0,9mm 6TPI | 082472205602 | 500 | 5 |
| 20562610R | 610R 152 x 19 x 0,9mm 10TPI | 082472205626 | 500 | 5 |
| 20564614R | 614R 152 x 19 x 0,9mm 14TPI | 082472205640 | 500 | 5 |
| 20566618R | 618R 152 x 19 x 0,9mm 18TPI | 082472205664 | 500 | 5 |
| 20568624R | 624R 152 x 19 x 0,9mm 24TPI | 082472205688 | 500 | 5 |
| 20570636RP | 636RP 152 x 19 x 1,3mm 6TPI | 082472205701 | 500 | 5 |
| 20572656R | 656R 152 x 19 x 1,3mm 6TPI | 082472205725 | 500 | 5 |
| 20575634R | 634R 152 x 19 x 1,3mm 4TPI | 082472205756 | 500 | 5 |
| 21519814R | 814R 203 x 19 x 0,9mm 14TPI | 082472215199 | 250 | 5 |
| 20578818R | 818R 203 x 19 x 0,9mm 18TPI | 082472205787 | 250 | 5 |
| 20579824R | 824R 203 x 19 x 0,9mm 24TPI | 082472205794 | 250 | 5 |
| 20580810R | 810R 203 x 19 x 1,3mm 10TPI | 082472205800 | 250 | 5 |
| 20582956R | 956R 229 x 19 x 1,3mm 6TPI | 082472205824 | 250 | 5 |
| 20583110R | 110R 305 x 19 x 1,3mm 10/14TPI | 082472205831 | 250 | 5 |
| 20585156R | 156R 305 x 19 x 1,3mm 6TPI | 082472205855 | 250 | 5 |
| 21510118R | 118R 305 x 19 x 1,3mm 18TPI | 082472215106 | 250 | 5 |

Why use the new T2™ Blades?

Lasts longer: Up to 100%*

Cuts faster: Up to 25%*

Shatter resistant: Bi-Metal

*vs previous Lenox blades

T2™ now available on 6, 10, 10/14, 14, 18 and 24TPI on the wood and metal blades

T2™ TECHNOLOGY

Tooth design delivers up to 2x the life versus previous model

OPTIMISED BLADE GEOMETRY

Each blade has a unique configuration including an aggressive tang angle and tapered blade shape to allow for cutting in tight areas

ENGINEERED FOR PERFORMANCE

Special design minimises friction and heat build up while cutting through the widest variety of metal materials

NEW PLUNGE CUTTING TOOTH

New tip design prevents blade from walking to deliver faster, easier, plunge cuts. Only available on 656R

LENOX®



Technology

Why use the new T2™ Blades?

Lasts longer: Up to 100%*

Cuts faster: Up to 25%*

Shatter resistant: Bi-Metal

*vs previous Lenox blades



Fast, durable and precise cutting in all masonry materials 5 TPI blades for high-quality cuts in clay brick, limestone and Poroton blocks
1.5 TPI blades for high-quality cuts in light and aerated concrete



Shatter resistant: Bi-metal blades bend and resist breaking and extend blade life

Maximum durability: For pneumatic machine cutting

Long lasting: High-speed Steel teeth provide a strong, long lasting cutting edge

Standard Bi-Metal Reciprocating Saw Blades, 25 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|------------|---------------------------------|--------------|-------------|-----------------|
| 20487B818R | B818R 203 x 19 x 0,9mm 18TPI | 082472204872 | 250 | 25 |
| 20488B414R | B414R 102 x 19 x 0,9mm 14TPI | 082472204889 | 500 | 25 |
| 20491B110R | B110R 305 x 19 x 1,3mm 10/14TPI | 082472204919 | 250 | 25 |
| 20492B606R | B606R 152 x 19 x 0,9mm 6TPI | 082472204926 | 500 | 25 |
| 20493B610R | B610R 152 x 19 x 0,9mm 10TPI | 082472204933 | 500 | 25 |
| 20494B614R | B614R 152 x 19 x 0,9mm 14TPI | 082472204940 | 500 | 25 |
| 20529B618R | B618R 152 x 19 x 0,9mm 18TPI | 082472205299 | 500 | 25 |
| 20530B656R | B656R 152 x 19 x 1,3mm 6TPI | 082472205305 | 500 | 25 |
| 20558B956R | B956R 229 x 19 x 1,3mm 6TPI | 082472205589 | 250 | 25 |
| 20590B810R | B810R 203 x 19 x 1,3mm 10TPI | 082472205909 | 250 | 25 |
| 21511B118R | B118R 305 x 19 x 0,9mm 18TPI | 082472215113 | 250 | 25 |

Reciprocating Saw Blade Kits

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|------------|--|--------------|-------------|-----------------|
| 1073415RKG | 15RKG 15 Piece Wood & Metal : 5 x 614R, 5 x 618R, 5 x 656R | 082472107340 | 8 | - |

Reciprocating Masonry Blades



| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|-------------|-----------------------------|---------------|-------------|-----------------|
| 21103235BLP | 235BLP 235 x 20 x 1,2 5TPI | 5706915078497 | 25 | 1 |
| 21104300BLP | 300BLP 300 x 50 x 1,2 5TPI | 5706915078503 | 25 | 1 |
| 21105450BLP | 450BLP 450 x 50 x 1,2 5TPI | 5706915078510 | 25 | 1 |
| 21106235LC | 235LC 235 x 20 x 1,2 1,5TPI | 5706915078527 | 25 | 1 |
| 21107300LC | 300LC 300 x 50 x 1,2 1,5TPI | 5706915078534 | 25 | 1 |
| 21108450LC | 450LC 450 x 50 x 1,2 1,5TPI | 5706915078541 | 25 | 1 |

Pallet Cutting Bi-Metal Reciprocating Saw Blades, 250 Pack



| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|--------------|--------------------------|--------------|-------------|-----------------|
| 10729810RPC | 810RPC 200 x 19 x 0,9mm | 082472107296 | 250 | 250 |
| 107301010RPC | 1010RPC 250 x 19 x 0,9mm | 082472107302 | 250 | 250 |

Air Saw Blades, 5 Pack




| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|-----------|------------------------------|--------------|-------------|-----------------|
| 20426418T | 418T 100 x 13 x 0,64mm 18TPI | 082472204261 | 500 | 5 |
| 20427424T | 424T 100 x 13 x 0,64mm 24TPI | 082472204278 | 500 | 5 |
| 20428432T | 432T 100 x 13 x 0,64mm 32TPI | 082472204285 | 500 | 5 |

Jigsaw Blades

The LENOX® Advantage

Carbon T-Shank Jigsaw Blades for Wood Cutting, 5 Pack



| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|--------------|--------------------------------|--------------|-------------|-----------------|
| 20295CF450 | CF450SR 100 x 10 x 1,5mm 10TPI | 082472202953 | 500 | 5 |
| 20296CF450 | CF450S 100 x 10 x 1,5mm 10TPI | 082472202960 | 500 | 5 |
| 20297CF456S | CF456S 100 x 10 x 1,5mm 6TPI | 082472202977 | 500 | 5 |
| 20298CFS406S | CFS406S 100 x 10 x 1,3mm 6TPI | 082472202984 | 500 | 5 |
| 20299CF320 | CF320SC 92 x 6 x 1,3mm 20TPI | 082472202991 | 500 | 5 |




Ideal for woodworking: Designed for optimal performance in wood cutting, including hard woods

Smoother finish: Ground to precision sharpness for straighter cuts and a smoother finish

Greater precision: Super sharp to cut fast without deflection

Bi-Metal T-Shank Jigsaw Blades



Bi-Metal T-Shank Jigsaw Blades, 2 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|-------------|--|--------------|-------------|-----------------|
| 20305BT406S | 406S 100 x 10 x 1,3mm 6TPI, Wood Cutting | 082472203059 | 250 | 2 |
| 20306BT410S | 410S 100 x 10 x 1,3mm 10TPI, Wood Cutting | 082472203066 | 250 | 2 |
| 20309BT686S | 686S 150 x 10 x 1,3mm 6TPI, Wood Cutting | 082472203097 | 250 | 2 |
| 20311BT320 | 320SC 92 x 5 x 1,3mm 20TPI, Wood Cutting | 082472203110 | 250 | 2 |
| 20312BT416* | 416SC 100 x 6 x 1,3mm 6TPI, Wood Cutting | 082472203127 | 250 | 2 |
| 20313BT450 | 450S 100 x 8 x 1,3mm 10TPI, Wood Cutting | 082472203134 | 250 | 2 |
| 20314BT450 | 450SR 100 x 8 x 1,3mm 10TPI, Wood Cutting | 082472203141 | 250 | 2 |
| 20315BT456 | 456S 100 x 8 x 1,3mm 6TPI, Wood Cutting | 082472203158 | 250 | 2 |
| 20301BT314S | 314S 92 x 10 x 0,9mm 14TPI, Metal Cutting | 082472203011 | 250 | 2 |
| 20302BT318S | 318S 92 x 10 x 0,9mm 18TPI, Metal Cutting | 082472203028 | 250 | 2 |
| 20303BT324S | 324S 92 x 10 x 0,9mm 24TPI, Metal Cutting | 082472203035 | 250 | 2 |
| 20308BT518S | 518S 135 x 10 x 1,3mm 18TPI, Metal Cutting | 082472203080 | 250 | 2 |
| 20803BT332S | 332S 92 x 10 x 0,9mm 32TPI, Metal Cutting | 082472208030 | 250 | 2 |

Shatter resistant: Bi-metal technology flexes and resists breaking and extends blade life



*Carbon blade

Bi-Metal T-Shank Jigsaw Blades, 25 Pack

| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|------------|---|--------------|-------------|-----------------|
| 20812B406S | 406S 100 x 10 x 1,3mm 6TPI, Wood Cutting | 082472208122 | 500 | 25 |
| 20813B410S | 410S 100 x 10 x 1,3mm 10TPI, Wood Cutting | 082472208139 | 500 | 25 |
| 20814B450S | 450S 100 x 8 x 1,3mm 10TPI, Wood Cutting | 082472208146 | 500 | 25 |
| 20815B314S | 314S 92 x 10 x 0,9mm 14TPI, Metal Cutting | 082472208153 | 500 | 25 |
| 20816B318S | 318S 92 x 10 x 0,9mm 18TPI, Metal Cutting | 082472208160 | 500 | 25 |
| 20817B324S | 324S 92 x 10 x 0,9mm 24TPI, Metal Cutting | 082472208177 | 500 | 25 |

Carbide Grit T-Shank Jigsaw Blades, 2 Pack



| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|-------------|--------------------------------------|--------------|-------------|-----------------|
| 20300GT300S | 300S 75 x 8 x 0,8mm Abrasive cutting | 082472203004 | 250 | 1 |

Longer lasting performance in abrasive materials: fiberglass, tile, brick

Diamond T-Shank Jigsaw Blades, 1 Pack



| Item No. | Description | EAN | Master Pack | Blades Per Pack |
|-------------|----------------------------------|--------------|-------------|-----------------|
| 12149DG300S | 300S 75 x 8 x 0,8mm Diamond Grit | 082472121490 | 125 | 1 |



Hole Saw Selection Guide

| WOOD | NAIL-EMBEDDED WOOD | NON-FERROUS | PLASTICS & COMPOSITES | METAL | STAINLESS STEEL | DRYWALL & PLASTER | CAST IRON | CEMENT BOARD | ABRASIVES | TILE | STONE |
|----------------|--------------------|-------------|-----------------------|-------|-----------------|-------------------|-----------|--------------|-----------|----------------|-------|
| | | | | | | | | | | | |
| CARBIDE TIPPED | | | | | | | | DIAMOND | | | |
| BI-METAL | | | | | | | | BI-METAL | | CARBIDE TIPPED | |

SPEED SLOT®: Unique staircase design for easy plug removal

Longer Life: Up to 2X Life in Metal Cutting vs. prior model

Cutting Efficiency: The hole saw is 10 percent taller than the previous model to deliver cleaner cuts through two-by lumber

Resists tooth strippage: Bi-metal construction creates a hardened edge to minimise tooth stripping

Use standard or SNAP-BACK arbor



Bi-metal **SPEED SLOT®** Hole Saws

NEW

| Item No. | Description | | Fits Arbor No. | EAN | Master Pack | Shelf Pack |
|-------------|-------------|-------|------------------|---------------|-------------|------------|
| 300099L | 9L | 14mm | 1L, 4L or 5L | 082472300093 | 10 | 1 |
| 3001010L | 10L | 16mm | 1L, 4L or 5L | 082472300109 | 10 | 1 |
| 3001111L | 11L | 17mm | 1L, 4L or 5L | 082472300116 | 10 | 1 |
| 3001212L | 12L | 19mm | 1L, 4L or 5L | 082472300123 | 10 | 1 |
| 3009820MMHS | 20MM | 20mm | 1L, 4L or 5L | 082472300987 | 10 | 1 |
| 3001313L | 13L | 21mm | 1L, 4L or 5L | 082472300130 | 10 | 1 |
| 3001414L | 14L | 22mm | 1L, 4L or 5L | 082472300147 | 10 | 1 |
| 3001515L | 15L | 24mm | 1L, 4L or 5L | 082472300154 | 10 | 1 |
| 3001616L | 16L | 25mm | 1L, 4L or 5L | 082472300161 | 10 | 1 |
| 3001717L | 17L | 27mm | 1L, 4L or 5L | 082472300178 | 10 | 1 |
| 3001818L | 18L | 29mm | 1L, 4L or 5L | 082472300185 | 10 | 1 |
| 3001919L | 19L | 30mm | 1L, 4L or 5L | 082472300192 | 10 | 1 |
| 3002020L | 20L | 32mm | 2L, 3L or 6L | 082472300208 | 10 | 1 |
| 3002121L | 21L | 33mm | 2L, 3L or 6L | 082472300215 | 10 | 1 |
| 3002222L | 22L | 35mm | 2L, 3L or 6L | 082472300222 | 10 | 1 |
| 3002323L | 23L | 37mm | 2L, 3L or 6L | 082472300239 | 10 | 1 |
| 3002424L | 24L | 38mm | 2L, 3L, 6L or 7L | 082472300246 | 10 | 1 |
| 3002525L | 25L | 40mm | 2L, 3L, 6L or 7L | 082472300253 | 10 | 1 |
| 3002626L | 26L | 41mm | 2L, 3L, 6L or 7L | 082472300260 | 10 | 1 |
| 3002727L | 27L | 43mm | 2L, 3L, 6L or 7L | 082472300277 | 10 | 1 |
| 3002828L | 28L | 44mm | 2L, 3L, 6L or 7L | 082472300284 | 10 | 1 |
| 3002929L | 29L | 46mm | 2L, 3L, 6L or 7L | 082472300291 | 5 | 1 |
| 3003030L | 30L | 48mm | 2L, 3L, 6L or 7L | 082472300307 | 5 | 1 |
| 3003232L | 32L | 51mm | 2L, 3L, 6L or 7L | 082472300321 | 5 | 1 |
| 3003333L | 33L | 52mm | 2L, 3L, 6L or 7L | 082472300338 | 5 | 1 |
| 3003434L | 34L | 54mm | 2L, 3L, 6L or 7L | 082472300345 | 5 | 1 |
| 1816241 | 35L | 56mm | 2L, 3L, 6L or 7L | 0885363008951 | 5 | 1 |
| 3003636L | 36L | 57mm | 2L, 3L, 6L or 7L | 082472300369 | 5 | 1 |
| 3003838L | 38L | 60mm | 2L, 3L, 6L or 7L | 082472300383 | 5 | 1 |
| 1816242 | 39L | 62mm | 2L, 3L, 6L or 7L | 0885363008968 | 5 | 1 |
| 3004040L | 40L | 64mm | 2L, 3L, 6L or 7L | 082472300406 | 5 | 1 |
| 3004141L | 41L | 65mm | 2L, 3L, 6L or 7L | 082472300413 | 5 | 1 |
| 3004242L | 42L | 67mm | 2L, 3L, 6L or 7L | 082472300420 | 5 | 1 |
| 3004343L | 43L | 68mm | 2L, 3L, 6L or 7L | 082472300437 | 5 | 1 |
| 3004444L | 44L | 70mm | 2L, 3L, 6L or 7L | 082472300444 | 5 | 1 |
| 3004646L | 46L | 73mm | 2L, 3L, 6L or 7L | 082472300468 | 5 | 1 |
| 3004848L | 48L | 76mm | 2L, 3L, 6L or 7L | 082472300482 | 5 | 1 |
| 3005050L | 50L | 79mm | 2L, 3L, 6L or 7L | 082472300505 | 5 | 1 |
| 3005252L | 52L | 83mm | 2L, 3L, 6L or 7L | 082472300529 | 5 | 1 |
| 3005454L | 54L | 86mm | 2L, 3L, 6L or 7L | 082472300543 | 5 | 1 |
| 3005656L | 56L | 89mm | 2L, 3L, 6L or 7L | 082472300567 | 5 | 1 |
| 3005858L | 58L | 92mm | 2L, 3L, 6L or 7L | 082472300581 | 1 | 1 |
| 3006060L | 60L | 95mm | 2L, 3L, 6L or 7L | 082472300604 | 1 | 1 |
| 3006262L | 62L | 98mm | 2L, 3L, 6L or 7L | 082472300628 | 1 | 1 |
| 3006464L | 64L | 102mm | 2L, 3L, 6L or 7L | 082472300642 | 1 | 1 |
| 3006666L | 66L | 105mm | 2L, 3L, 6L or 7L | 082472300666 | 1 | 1 |
| 3006868L | 68L | 108mm | 2L, 3L, 6L or 7L | 082472300680 | 1 | 1 |
| 3007070L | 70L | 111mm | 2L, 3L, 6L or 7L | 082472300703 | 1 | 1 |

Bi-metal SPEED SLOT® Hole Saws

NEW



| Item No. | Description | Fits Arbor No. | EAN | Master Pack | Shelf Pack |
|----------|-------------|------------------|---------------|-------------|------------|
| 3007272L | 72L 114mm | 2L, 3L, 6L or 7L | 082472300727 | 1 | 1 |
| 3007474L | 74L 118mm | 2L, 3L, 6L or 7L | 082472300741 | 1 | 1 |
| 3007676L | 76L 121mm | 2L, 3L, 6L or 7L | 082472300765 | 1 | 1 |
| 3008080L | 80L 127mm | 2L, 3L, 6L or 7L | 082472300802 | 1 | 1 |
| 1816243 | 83L 133mm | 2L, 3L, 6L or 7L | 0885363008975 | 1 | 1 |
| 3008888L | 88L 140mm | 2L, 3L, 6L or 7L | 082472300888 | 1 | 1 |
| 1816245 | 127L 146mm | 2L, 3L, 6L or 7L | 0885363008982 | 1 | 1 |
| 3009696L | 96L 152mm | 2L, 3L, 6L or 7L | 082472300963 | 1 | 1 |
| 3106106L | 106L 168mm | 2L, 3L, 6L or 7L | 5706915081633 | 1 | 1 |
| 3112112L | 112L 177mm | 2L, 3L, 6L or 7L | 5706915081640 | 1 | 1 |
| 3132132L | 132L 210mm | 2L, 3L, 6L or 7L | 5706915081657 | 1 | 1 |



Hole Saw Accessories & Parts

| Item No. | Description | Chuck Size mm | Fits Arbor No. | EAN | Master Pack | Shelf Pack |
|-------------|----------------------------------|---------------|----------------------|---------------|-------------|------------|
| 30297123CT | 123CT Carbide Tip Pilot Drill | 6 | 1L/2L/4L/7L | 082472302974 | 250 | 1 |
| 3029865CTPD | 65CTPD Carbide Tip Pilot Drill | 6 | 3L/5L/6L/7L | 082472302981 | 150 | 1 |
| 10507941 | Pilot Drill Bit Diamond Hole Saw | 6 | 1L/2L/3L/4L/5L/6L/7L | 5706915079418 | 250 | 1 |
| 1779771 | 4321 Pilot Drill | 6 | 1L/2L/4L | 885363004663 | 250 | 1 |
| 1779810 | 56PD Pilot Drill | 6 | 3L/5L/6L/7L | 885363004823 | 250 | 1 |
| 3084310X | 250mm Extension | 10 + | 5L/6L/7L | 082472308433 | 20 | 1 |
| 3084655X | 140mm Extension | 13 + | 1L/2L/3L | 082472308464 | 20 | 1 |
| 3084712X | 300mm Extension | 13 + | 1L/2L/3L | 082472308471 | 20 | 1 |
| 3084818X | 450mm Extension | 13 + | 1L/2L/3L | 082472308488 | 20 | 1 |
| 30857AA1 | Arbor Adaptor | - | 1L/4L/5L | 082472308570 | 100 | 1 |



Carbide Tipped Hole Saws




| Item No. | Description | Fits Arbor No. | EAN | Master Pack | Shelf Pack |
|-----------|-------------|------------------|--------------|-------------|------------|
| 3021111CT | 11CT 17mm | 1L, 4L or 5L | 082472302110 | 10 | 1 |
| 3021212CT | 12CT 19mm | 1L, 4L or 5L | 082472302127 | 10 | 1 |
| 3021414CT | 14CT 22mm | 1L, 4L or 5L | 082472302141 | 10 | 1 |
| 3021616CT | 16CT 25mm | 1L, 4L or 5L | 082472302165 | 10 | 1 |
| 3021818CT | 18CT 29mm | 1L, 4L or 5L | 082472302189 | 10 | 1 |
| 3022020CT | 20CT 32mm | 2L, 3L or 6L | 082472302202 | 10 | 1 |
| 3022222CT | 22CT 35mm | 2L, 3L or 6L | 082472302226 | 10 | 1 |
| 3022424CT | 24CT 38mm | 2L, 3L, 6L or 7L | 082472302240 | 10 | 1 |
| 3022626CT | 26CT 41mm | 2L, 3L, 6L or 7L | 082472302264 | 10 | 1 |
| 3022828CT | 28CT 44mm | 2L, 3L, 6L or 7L | 082472302288 | 10 | 1 |
| 3023232CT | 32CT 51mm | 2L, 3L, 6L or 7L | 082472302325 | 5 | 1 |
| 3023434CT | 34CT 54mm | 2L, 3L, 6L or 7L | 082472302349 | 5 | 1 |
| 3023636CT | 36CT 57mm | 2L, 3L, 6L or 7L | 082472302363 | 5 | 1 |
| 3023838CT | 38CT 60mm | 2L, 3L, 6L or 7L | 082472302387 | 5 | 1 |
| 3024040CT | 40CT 64mm | 2L, 3L, 6L or 7L | 082472302400 | 5 | 1 |
| 3024141CT | 41CT 65mm | 2L, 3L, 6L or 7L | 082472302417 | 5 | 1 |
| 3024242CT | 42CT 67mm | 2L, 3L, 6L or 7L | 082472302424 | 5 | 1 |
| 3024343CT | 43CT 68mm | 2L, 3L, 6L or 7L | 082472302431 | 5 | 1 |
| 3024848CT | 48CT 76mm | 2L, 3L, 6L or 7L | 082472302486 | 5 | 1 |
| 3025252CT | 52CT 83mm | 2L, 3L, 6L or 7L | 082472302523 | 5 | 1 |
| 3025454CT | 54CT 86mm | 2L, 3L, 6L or 7L | 082472302547 | 5 | 1 |
| 3025656CT | 56CT 89mm | 2L, 3L, 6L or 7L | 082472302561 | 5 | 1 |
| 3025858CT | 58CT 92mm | 2L, 3L, 6L or 7L | 082472302585 | - | 1 |
| 3026060CT | 60CT 95mm | 2L, 3L, 6L or 7L | 082472302608 | - | 1 |
| 3026464CT | 64CT 102mm | 2L, 3L, 6L or 7L | 082472302646 | - | 1 |
| 3026666CT | 66CT 105mm | 2L, 3L, 6L or 7L | 082472302660 | - | 1 |
| 3026868CT | 68CT 108mm | 2L, 3L, 6L or 7L | 082472302684 | - | 1 |
| 3027272CT | 72CT 114mm | 2L, 3L, 6L or 7L | 082472302721 | - | 1 |
| 3027676CT | 76CT 121mm | 2L, 3L, 6L or 7L | 082472302769 | - | 1 |
| 3028080CT | 80CT 127mm | 2L, 3L, 6L or 7L | 082472302806 | - | 1 |
| 3028888CT | 88CT 140mm | 2L, 3L, 6L or 7L | 082472302882 | - | 1 |
| 3029696CT | 96CT 152mm | 2L, 3L, 6L or 7L | 082472302967 | - | 1 |

Long tool life: Heat-resistant carbide teeth for long life in tile and stainless steel
Added durability: Thick backing plate resists damage and increases life
Unique tooth configuration: Engineered design provides ability to cut stainless steel like no other
Use standard or SNAP-BACK arbor
Note: We recommend the use of a carbide tipped pilot drill when cutting ceramic wall tile. Pilot drill 123CT fits the 1L, 2L, 4L or 7L arbors. Pilot drill 65CTPD fits the 5L and 6L arbors





SNAP-BACK™ Quick-Change Arbors



| Item No. | Description | EAN | Master Pack | Shelf Pack |
|----------|---------------------------------|---------------|-------------|------------|
| 1768811 | Snap-Back 2L Quick-Change Arbor | 5706915077667 | - | 1 |
| 1768812 | Snap-Back 5L Quick-Change Arbor | 5706915077674 | - | 1 |
| 1768813 | Snap-Back 6L Quick-Change Arbor | 5706915077681 | - | 1 |

Hole Saw Arbors



Added durability: Hardened carbon steel for strength through the cross-section

Starts on contact: Split-point pilot drill bit for faster penetration and less walking

Simple plug ejection: 7L arbor is designed with sliding pins to easily eject plugs from hole saws

| Item No. | Description/Fits Holesaw/Shank | Shank Size | EAN | Master Pack | Shelf Pack |
|----------|--------------------------------|------------|--------------|-------------|------------|
| 1779774 | 1L 9L-19L Hex | 13+ | 885363004755 | 90 | 1 |
| 1779801 | 2L 20L-96L Hex | 13+ | 885363004762 | 90 | 1 |
| 1779802 | 3L 20L-96L Solid / Hex | 13+ | 885363004779 | 54 | 1 |
| 1779803 | 4L 9L-19L 3-Sided | 6+ | 885363004786 | 90 | 1 |
| 1779804 | 5L 9L-19L Hex | 10+ | 885363004793 | 90 | 1 |
| 1779805 | 6L 20L-96L Hex | 10+ | 885363004809 | 90 | 1 |
| 1779806 | 7L 24L-96L Hex | 10+ | 885363004816 | 65 | 1 |



Bi-metal **SPEED SLOT®** Hole Saws Kits

NEW

| Item No. | Description | EAN | Master Pack | Shelf Pack |
|----------|--|---------------|-------------|------------|
| 1768436 | 9 pcs Plumber's Hole Saw Kit: 19, 22, 29, 38, 44, 68mm, Arbors: 2L, 5L, 1 x Arbor Adapter | 5706915078022 | - | 1 |
| 1768556 | 17 pcs Electrician's Hole Saw Kit: 16, 19, 22, 25, 29, 32, 35, 38, 44, 51, 68, 76mm, Arbors: 1L, 2L, 2 x 4321 Pilot Drill Bits, 1 x 56PD Pilot Drill Bit | 5706915078046 | - | 1 |
| 1768559 | 21 pcs Electrician's Hole Saw Kit: 19, 22, 25, 29, 35, 38, 44, 51, 57, 68, 76, 83, 92, 95, 105, 121mm, Arbors: 1L, 2L, 2 x 4321 Pilot Drill Bits, 1 x 56PD Pilot Drill Bit | 5706915078053 | - | 1 |
| 1768662 | 8 pcs Electrician's Hole Saw Kit: 16, 20, 25, 32, 38, 51mm, Arbors: 1L, 2L | 5706915078060 | - | 1 |
| 1768668 | 9 pcs Electrician's Hole Saw Kit: 16, 20, 25, 32, 41, 51, 64mm, Arbors: 1L, 2L | 5706915078077 | - | 1 |
| 1768695 | 17 pcs Electrician's Hole Saw Kit: 19, 22, 29, 35, 44, 51, 64, 68, 76, 92, 105, 121mm, Arbors: 2L, 5L, 2 x 4321 Pilot Drill Bits, 1 x 56PD Pilot Drill Bit | 5706915078107 | - | 1 |
| 1768696 | 10 pcs Electrician's Hole Saw Kit: 22, 29, 35, 44, 51, 64mm, Arbors: 2L, 5L, 1 x 4321 Pilot Drill Bit, 1 x Arbor Adapter | 5706915078114 | - | 1 |
| 1768698 | 26 pcs Big Daddy™ Hole Saw Kit: 19, 22, 25, 29, 35, 38, 44, 51, 54, 57, 64, 68, 76, 83, 86, 92, 95, 105, 114, 121mm, Arbors: 1L, 2L, 5L, 2 x 4321 Pilot Drill Bits, 1 x 56PD Pilot Drill Bit | 5706915078121 | - | 1 |
| 1768793 | 9 pcs General Purpose Hole Saw Kit: 22, 25, 32, 35, 38, 44, 54mm, Arbors: 5L, 6L | 5706915078138 | - | 1 |
| 1768794 | 10 pcs Plumber's Hole Saw Kit: 19, 22, 29, 38, 44, 57mm Arbors: 2L, 5L, 1 x 4321 Pilot Drill Bit, 1 x Arbor Adapter | 5706915078145 | - | 1 |
| 1768795 | 17 pcs General Purpose Hole Saw Kit: 16, 19, 22, 25, 29, 32, 35, 38, 44, 51, 64, 76mm, Arbors: 1L, 2L, 3 x 4321 Pilot Drill Bits | 5706915078152 | - | 1 |
| 1768796 | 14 pcs Electrician's & Plumber's Hole Saw Kit: 19, 22, 29, 35, 38, 44, 51, 57, 64, 68mm, Arbors: 2L, 5L, 1 x 4321 Pilot Drill Bit, 1x Hex Key | 5706915077698 | - | 1 |
| 1768797 | 8 pcs General Purpose Hole Saw Kit: 22, 25, 29, 32, 38mm Arbor: 5L, 1 x 4321 Pilot Drill Bit, 1x Hex Key | 5706915077704 | - | 1 |

Carbide Tipped Hole Saw Kits

| Item No. | Description | EAN | Master Pack | Shelf Pack |
|----------|--|---------------|-------------|------------|
| 1768435 | 8 pcs Electrician's & Plumber's Carbide Tipped Hole Saw Kit: Hole Saws: 22, 29, 32, 35, 51, 65mm Arbors: 1L, 2L | 5706915078039 | - | 1 |



One Tooth Wood Hole Cutters

| Item No. | Description | Fits Arbor No. | EAN | Master Pack | Shelf Pack |
|------------|---------------------|----------------|--------------|-------------|------------|
| 2543434HC | 34HC | 54mm | 082472254341 | - | 1 |
| 2543636HC | 36HC | 57mm | 082472254365 | - | 1 |
| 2544141HC | 41HC | 67mm | 082472254419 | - | 1 |
| 2545151HC | 51HC | 80mm | 082472254518 | - | 1 |
| 2545454HC | 54HC | 86mm | 082472254549 | - | 1 |
| 2545656HC | 56HC | 92mm | 082472254563 | - | 1 |
| 2546464HC | 64HC | 102mm | 082472254648 | - | 1 |
| 2546969HC | 69HC | 109mm | 082472254693 | - | 1 |
| 2547474HC | 74HC | 117mm | 082472254747 | - | 1 |
| 2548080HC | 80HC | 127mm | 082472254808 | - | 1 |
| 2548787HC | 87HC | 140mm | 082472254877 | - | 1 |
| 25312DIAF1 | DIAF1 Diamond File | | 082472253122 | - | 1 |
| 25310SB38 | SB38 10mm Pilot Bit | | 082472253108 | - | 1 |

Long lasting: High-speed steel tooth can cut over 300 holes before re-sharpening

Cuts fast: 10mm stubby spade bit helps remove material quickly

Unique cutting application: Provides the ability to cut at an angle

Rough wood cutting: Cuts wet, frozen, pressure treated and hard woods without binding

Easy to use: Allows for easy plug ejection

Use standard arbor



Carbide Hole Cutters

| Item No. | Description | Fits Arbor No. | EAN | Master Pack | Shelf Pack |
|-------------|---|----------------|--------------|-------------|------------|
| 2385913CHC | 20MMCHC 20mm | 5L | 082472238594 | - | 1 |
| 2009314CHC | 14CHC 22mm | 5L | 082472200935 | - | 1 |
| 2009416CHC | 16CHC 25mm | 5L | 082472200942 | - | 1 |
| 2009618CHC | 18CHC 29mm | 5L | 082472200966 | - | 1 |
| 2009820CHC | 20CHC 32mm | 3L | 082472200980 | - | 1 |
| 2010022CHC | 22CHC 35mm | 3L | 082472201000 | - | 1 |
| 2010224CHC | 24CHC 38mm | 3L | 082472201024 | - | 1 |
| 2010328CHC | 28CHC 44mm | 3L | 082472201031 | - | 1 |
| 2385135PD | 35PD 6mm Split Point Pilot Bit 3 x | | 082472238518 | - | 1 |
| 238523CHCAS | 3CHC-AS Plug Ejector Spring for CHC 3 x | | 082472238525 | - | 1 |

Accurate, burr-free holes: Precision ground carbide teeth for fast cutting of clean, round holes

Long tool life: Heat-resistant carbide teeth for long life in sheet metal and stainless steel

Will not damage work: Over-drill stopper prevents the tool from penetrating beyond the hole

Starts on contact: Split-point pilot bit for faster penetration and less walking

Use standard arbor





Lenox DIAMOND® Hole Saws



The complete solution for cutting holes in porcelain, ceramics, granite, marble, glass, slate, fiberglass, travertine, cement board

Long lasting: Brazed diamond edge for more holes in tile and stone

Durable: Robust design for greater durability in tough applications

Fast cutting: The thin kerf enables a fast and easy cutting

Perfect centering: The high-performance carbide tipped pilot drill bit helps guiding the hole saw in the hardest ceramic materials

Easier plug removal: The round holes make removing plugs faster and easier

Use standard arbor

Note: Each LENOX DIAMOND™ Holesaw shelf pack contains a carbide tipped pilot drill bit and a hex key. Please read the usage instructions for high-quality cutting results.

| Item No. | Description | Fits Arbor No. | EAN | Master Pack | Shelf Pack |
|----------|-------------|------------------|---------------|-------------|------------|
| 10507823 | DHS 19mm | 1L, 4L or 5L | 5706915078237 | 100 | 1 |
| 10507824 | DHS 20mm | 1L, 4L or 5L | 5706915078244 | 100 | 1 |
| 10507825 | DHS 22mm | 1L, 4L or 5L | 5706915078251 | 100 | 1 |
| 10507826 | DHS 25mm | 1L, 4L or 5L | 5706915078268 | 100 | 1 |
| 10507827 | DHS 29mm | 1L, 4L or 5L | 5706915078275 | 50 | 1 |
| 10507828 | DHS 32mm | 1L, 4L or 5L | 5706915078282 | 50 | 1 |
| 10507829 | DHS 35mm | 2L, 3L or 6L | 5706915078299 | 50 | 1 |
| 10507830 | DHS 38mm | 2L, 3L or 6L | 5706915078305 | 50 | 1 |
| 10507831 | DHS 44mm | 2L, 3L, 6L or 7L | 5706915078312 | 50 | 1 |
| 10507832 | DHS 48mm | 2L, 3L, 6L or 7L | 5706915078329 | 50 | 1 |
| 10507833 | DHS 51mm | 2L, 3L, 6L or 7L | 5706915078336 | 50 | 1 |
| 10507834 | DHS 54mm | 2L, 3L, 6L or 7L | 5706915078343 | 50 | 1 |
| 10507835 | DHS 57mm | 2L, 3L, 6L or 7L | 5706915078350 | 50 | 1 |
| 10507836 | DHS 60mm | 2L, 3L, 6L or 7L | 5706915078367 | 50 | 1 |
| 10507837 | DHS 64mm | 2L, 3L, 6L or 7L | 5706915078374 | 50 | 1 |
| 10507838 | DHS 68mm | 2L, 3L, 6L or 7L | 5706915078381 | 50 | 1 |
| 10507839 | DHS 76mm | 2L, 3L, 6L or 7L | 5706915078398 | 50 | 1 |
| 10507840 | DHS 83mm | 2L, 3L, 6L or 7L | 5706915078404 | 20 | 1 |
| 10507841 | DHS 102mm | 2L, 3L, 6L or 7L | 5706915078411 | 20 | 1 |
| 10507842 | DHS 114mm | 2L, 3L, 6L or 7L | 5706915078428 | 20 | 1 |

Vari-Bit™ Step Drill Bits



Accurate, burr-free holes: Two flute design cuts fast, clean, round holes

Starts on contact: Split-point design for faster penetration and less walking

Long tool life: Steam oxide coating adds durability. Enhanced flute design removes chips rapidly, ensuring longer tool life

| Item No. | Description | Chuck Size | EAN | Master Pack | Shelf Pack |
|-----------|---|------------|--------------|-------------|------------|
| 30881VB1 | VB1 13 steps 3, 4, 4.5, 5.5, 6, 7, 8, 8.5, 9.5, 10, 11, 12, 12.5mm | 6 | 082472308815 | - | 1 |
| 30882VB2 | VB2 9 steps 12.5, 14, 16, 17.5, 19, 20.5, 22, 23.5, 25mm | 10 | 082472308822 | - | 1 |
| 30883VB3 | VB3 9 steps 6, 8, 9.5, 11, 12.5, 14, 16, 17.5, 19mm | 10 | 082472308839 | - | 1 |
| 30884VB4 | VB4 6 steps 4.5, 6, 8, 9.5, 11, 12.5mm | 6 | 082472308846 | - | 1 |
| 30886VB6 | VB6 2 steps 9.5, 12.5mm | 6 | 082472308860 | - | 1 |
| 30887VB7 | VB7 1 step 22mm | 10 | 082472308877 | - | 1 |
| 30908VB8 | VB8 12 steps 4.5, 6, 8, 9.5, 11, 12.5, 14, 16, 17.5, 19, 20.5, 22mm | 10 | 082472309089 | - | 1 |
| 30909VB9 | VB9 3 steps 22, 28.5, 31mm | 10 | 082472309096 | - | 1 |
| 30888VB11 | VB11 2 steps 22, 28.5mm | 10 | 082472308884 | - | 1 |
| 30912VB12 | VB12 5 steps 22, 28.5, 31, 32, 35mm | 10 | 082472309126 | - | 1 |
| 30925VBX8 | VBX8 Extension 204mm Fits 9.5mm drill chuck & larger 1 per clam | - | 082472309256 | - | 1 |

Vari-Bit™ Step Drill Bits, Metric

| Item No. | Description | Chuck Size | EAN | Master Pack | Shelf Pack |
|---------------|--|------------|--------------|-------------|------------|
| 30960MVB412 | MVB412 9 steps 4, 5, 6, 7, 8, 9, 10, 11, 12mm | 6 | 082472309607 | - | 1 |
| 30961MVB1424 | MVB1424 7 steps 14, 16, 18, 20, 22, 24, 25mm | 10 | 082472309614 | - | 1 |
| 30962MVB618 | MVB618 7 steps 6, 8, 10, 12, 14, 16, 18mm | 10 | 082472309621 | - | 1 |
| 30963MVB2034 | MVB2034 8 steps 20, 22, 24, 26, 28, 30, 32, 34mm | 10 | 082472309638 | - | 1 |
| 30964MVB528PG | MVB528PG 10 steps 5, 7.5, 10, 12.5, 15.2, 18.6, 20.4, 22.5, 25.5, 28.3mm | 10 | 082472309645 | - | 1 |

Vari-Bit™ Step Drill Bit Kits

| Item No. | Description | EAN | Master Pack | Shelf Pack |
|------------|--|--------------|-------------|------------|
| 30889889 | 3pcs Kit - VB1, VB2, VB3 in plastic case | 082472308891 | - | 1 |
| 30926VBK4 | 4pcs Kit - VB1, VB2, VB7, VB8 in plastic case | 082472309263 | - | 1 |
| 30927VBKA6 | 6pcs Kit - VB1, VB2, VB6, VB7, VB8, VB11 in plastic case | 082472309270 | - | 1 |

PROTOOL LUBE™ Lubricant

A unique synthetic blend designed to increase tool life: When cutting, milling, reaming, tapping and drilling metal, wood and plastics

Shortens cutting time by up to 50%: Provides smoother, cleaner cutting and dramatically longer blade life

Reduces heat and friction: Water-soluble, so it cleans up with water. Bio-degradable and non-toxic

| Item No. | Description | EAN | Master Pack | Shelf Pack |
|----------|--|--------------|-------------|------------|
| 68040LNX | ProTool Lube™ 0,17 litre, 12 pcs. in Display | 082472680409 | - | 12 |
| 68047 | ProTool Lube™ 3,8 litre | 082472680478 | - | 1 |





Close Quarter™ Saw



Fits into tight spots: Allows for cutting overhead or behind walls

| Item No. | Description | EAN | Master Pack | Shelf Pack |
|----------|--|--------------|-------------|------------|
| 20908908 | CLOSE QUARTER™ SAW | 082472209082 | 120 | 1 |
| 20906906 | Replacement blades, 10pk, 150 x 64 x 0,35 mm x 32T | 082472209068 | 50 | 1 |

PVC/ABS Plastic Pipe Handsaw



Breezes through material: Unique pull cutting teeth cut quickly through all plastic pipe and wood
Durable blade: Rigid carbon blade with hardened teeth for long life

Comfortable handle: Large opening for work gloves

| Item No. | Description | EAN | Master Pack | Shelf Pack |
|------------|--------------------------------|--------------|-------------|------------|
| 20985HSF12 | 300mm blade & handle, 10TPI | 082472209853 | - | 5 |
| 20980HSF18 | 450mm blade & handle, 10TPI | 082472209808 | - | 5 |
| 20982HSB12 | 300mm replacement blade, 10TPI | 082472209822 | 50 | 5 |
| 20981HSB18 | 450mm replacement blade, 10TPI | 082472209815 | 50 | 5 |

Tri-Fold™ Saws



Convenient blade storage: Safely fold blade into handle

Compact design: Fits easily into pocket or tool box
Replaceable blades: Uses any standard reciprocating saw blade

Rugged design: Heavy-duty aluminium handle has a comfortable hand grip


Multi-purpose: Push button design locks blade into three different positions for multiple cutting applications

| Item No. | Description | EAN | Master Pack | Shelf Pack |
|----------|---|--------------|-------------|------------|
| 20997EU | Tri-Fold™ Saw with two blades: Multi Material and Plaster cutting | 082472209976 | - | 5 |


Hacksaw Frames & Blades

The LENOX® Advantage


HT50 High-Tension Hacksaw




CONVERT TO A JAB SAW
Accepts a Lenox Recip blade



max. 5x
CONVENIENT BLADE STORAGE
No tool needed to store up to 5 extra blades



max. 12x
TENSIONS QUICKLY
in 12 turns maximum





45°
45° ANGLE BLADE
position for flush cutting

TIGHTENING MECHANISM

- Reduces blade bend wobble by 33%
- Maintains tension when not in use
- Loses less than 10% of tension over two weeks
- Able to continually tighten

COMFORTABLE GRIPS
Rubberised handles allow for confident handling even in wet or dirty environments




HIGHEST TENSION. EVER
Unique I-Beam construction: allows blade to tension up to 50,000 psi, resulting in fast, straight cuts.



| Item No. | Description | EAN | Master Pack | Shelf Pack |
|----------|----------------------------------|---------------|-------------|------------|
| 10507542 | HT50 high-tension Hacksaw, 300mm | 5706915075427 | - | 5 |

Low Profile Hacksaw Frame



| Item No. | Description | EAN | Master Pack | Shelf Pack |
|-----------|---|--------------|-------------|------------|
| 209205012 | 5012 Low profile, high tension hand hacksaw frame | 082472209204 | - | 5 |

Fits into tight spots: Low-profile tip easily handles close-quarter cuts
Fast, straight cuts: Tensions up to 28,000PSI



88300 Lightweight Hacksaw



COMFORTABLE GRIP




HIGH-TENSION
Front tension knob tightens
for up to 30,000 psi

ERGONOMIC GRIPS
Front hand rest reduces fatigue in
continuous cutting applications



| Item No. | Description | EAN | Master Pack | Shelf Pack |
|----------|----------------------------------|---------------|-------------|------------|
| 10507543 | 88300 Lightweight Hacksaw, 300mm | 5706915075434 | - | 5 |


Hacksaw



Rugged design: Heavy-duty aluminium handle
Fits into tight spots: Allows for flush cutting
applications

| Item No. | Description | EAN | Master Pack | Shelf Pack |
|----------|---------------------------------------|--------------|-------------|------------|
| 20975975 | 975 Hacksaw with 250mm bi-metal blade | 082472209754 | 45 | 5 |

Bi-Metal Hacksaw Blades



Shatter resistant: Bi-metal construction allows
blades to bend and flex

| Item No. | Description | EAN | Master Pack | Shelf Pack |
|-------------|-------------------------------|--------------|-------------|------------|
| 20116218HE | 218HE 300 x 13mm 18TPI, 100pk | 082472201161 | 5 | 1 |
| 20117224HE | 224HE 300 x 13mm 24TPI, 100pk | 082472201178 | 5 | 1 |
| 20118232HE | 232HE 300 x 13mm 32TPI, 100pk | 082472201185 | 5 | 1 |
| 20143V214HE | V214HE 300 x 13mm 14TPI, 10pk | 082472201437 | 50 | 1 |
| 20144V218HE | V218HE 300 x 13mm 18TPI, 10pk | 082472201444 | 50 | 1 |
| 20145V224HE | V224HE 300 x 13mm 24TPI, 10pk | 082472201451 | 50 | 1 |
| 20146V232HE | V232HE 300 x 13mm 32TPI, 10pk | 082472201468 | 50 | 1 |

Plastic Tubing Cutters

The LENOX® Advantage



The blade on the LENOX® Plastic Tubing Cutters is made with serrated stainless steel that requires 25% less cutting force than other cutters on the market; providing a straight, burr-free cut. The specifically designed jaw holds pipe in place while cutting with the serrated stainless steel blade.



R1 PVC Tube Cutter

STRAIGHT, EFFORTLESS CUTS

Specifically designed jaw holds pipe in place while cutting with the serrated stainless steel blade. The blade on the LENOX® Plastic Tubing Cutter is made with serrated stainless steel that requires 25% less cutting force than other cutters on the market; providing a straight, burr-free cut.



SPRING LIFE TESTING

Spring failure is typically catastrophic to a plastic tubing cutter tool. Rather than replacing the spring, a user typically replaces the tool itself. LENOX® performed tests on the Plastic Tubing Cutter spring testing rig to determine spring life. After 153,632 cycles, the cutters were removed from the rig. And after those 153,632 cycles, the springs still functioned perfectly. It would take an average user more than 10 years of consistent use to make that amount of cuts.

| Item No. | Description | EAN | Master Pack | Shelf Pack |
|----------|---------------------------|---------------|-------------|------------|
| 10507481 | R1 PVC Cutter, 42mm | 5706915074819 | 10 | 1 |
| 10507533 | R1B-PVC Replacement Blade | 5706915075335 | 25 | 1 |

Cuts up to 1-1/4" nominal (1-5/8" Max. OD - 42mm)
For all types of plastic tubing like PVC, CPVC, PEX, PE & PB tubing, flexible hose

R2 PVC Tube Cutter



| Item No. | Description | EAN | Master Pack | Shelf Pack |
|----------|---------------------------|---------------|-------------|------------|
| 10507482 | R2 PVC Cutter, 60mm | 5706915074826 | - | 1 |
| 10507534 | R2B-PVC Replacement Blade | 5706915075342 | 25 | 1 |

Cuts up to 2" nominal (2-3/8" MAX. OD - 60mm)
For all types of plastic tubing like PVC, CPVC, PEX, PE & PB tubing, flexible hose



S1 PEX Tube Cutter



Cuts up to 1" nominal (1-5/16" max. OD - 33mm)
For all types of plastic tubing like PEX, PE & PB tubing, flexible hose.

| Item No. | Description | EAN | Master Pack | Shelf Pack |
|----------|---------------------------|---------------|-------------|------------|
| 10507479 | S1 PEX Cutter, 33mm | 5706915074796 | 20 | 5 |
| 10507484 | S1B-PEX Replacement Blade | 5706915074840 | 25 | 1 |

S2 CPVC Tube Cutter



Cuts up to 1" nominal (1-5/16" max. OD - 33mm)
For all types of plastic tubing like PVC, CPVC, PEX, PE & PB tubing, flexible hose

| Item No. | Description | EAN | Master Pack | Shelf Pack |
|----------|----------------------------|---------------|-------------|------------|
| 10507480 | S2 CPVC Cutter, 33mm | 5706915074802 | 20 | 5 |
| 10507532 | S2B-CPVC Replacement Blade | 5706915075328 | 25 | 1 |


CU-INOX PRO Tube Cutter

The LENOX® Cu-INOX Pro Tube Cutters are heavy-duty, high precision tube cutters with telescopic action. With a zinc die-cast body and stainless steel rollers (4 rolls for better grip of the tube).

This cutter won't 'walk' during cutting thanks to its four-roller tracking system: 4 Rollers give smoothness and uniformity of cut and also permit a better grip of the tube.

The cutters will also clean and easily deburr pipes with the replaceable machinist's reamer.

Easy and quick to operate due to special arbor and ergonomic knob. With an oversized handle for quick and smooth operation and convenient wheel storage, this cutter includes one additional special copper cutting wheel (19 x 5mm) fixed inside the handle.



Material:

- Copper (Al + Cu for fast cuts) for max. tube wall thickness: 2mm
- INOX (Stainless Steel) for max. tube wall thickness: 2.5mm

| Item No. | Description | Cutting Size | EAN | Master Pack | Shelf Pack |
|----------|----------------|--------------|---------------|-------------|------------|
| 10507460 | CU-INOX PRO 35 | 3-35mm | 5706915075604 | 30 | 1 |
| 10507461 | CU-INOX PRO 45 | 3-45mm | 5706915075611 | 30 | 1 |

CU-INOX Multi 67 Tube Cutter



This Tubing Cutter can be used on plastic tube and Multi-layer pipes up to 67mm as well as applicable for copper tubes and stainless steel pipes. MULTI 67 cuts 6 -67mm (1/4" - 2-5/8") Cu + INOX + PVC + Multi-layer Tube

| Item No. | Description | Cutting Size | EAN | Master Pack | Shelf Pack |
|----------|------------------|--------------|---------------|-------------|------------|
| 10507462 | CU-INOX MULTI 67 | 6-67mm | 5706915074628 | 15 | 1 |



Mini Tube Cutters

Lenox Mini Tube Cutters are lightweight with an ergonomic knob and optimal tool size. The ideal solution for cutting tubes in difficult-to-access spaces.



| Item No. | Description | Cutting Size | EAN | Master Pack | Shelf Pack |
|----------|-----------------|--------------|---------------|-------------|------------|
| 10507457 | CU-INOX MINI 16 | 3-16mm | 5706915074574 | 60 | 5 |
| 10507458 | CU-INOX MINI 25 | 3-25mm | 5706915074581 | 60 | 5 |
| 10507459 | CU-INOX MINI 30 | 3-30mm | 5706915074598 | 60 | 5 |

Close Quarter Tube Cutters

Single-action automatic tube cutting. These close quarter cutters are ideal for optimal accessibility in tight and confined spaces, even tight against a wall. Cuts copper with only a few turns. The cutter tightens onto the tube, cutting as you twist, without adjusting. Spare Wheels available.



Tightens onto the tube. Cutting as you twist, without adjusting

| Item No. | Description | Cutting Size | EAN | Master Pack | Shelf Pack |
|----------|-------------|--------------|---------------|-------------|------------|
| 10507464 | CQ12 | 12mm | 5706915074642 | 64 | 4 |
| 10507975 | CQ14 | 14mm | 5706915079753 | 64 | 4 |
| 10507465 | CQ15 | 15mm | 5706915074659 | 64 | 4 |
| 10507466 | CQ16 | 16mm | 5706915074666 | 64 | 4 |
| 10507467 | CQ18 | 18mm | 5706915074673 | 64 | 4 |
| 10507468 | CQ22 | 22mm | 5706915074680 | 64 | 4 |
| 10507469 | CQ28 | 28mm | 5706915074697 | 64 | 4 |

Spare Cutting Wheels, 4 Pack



| Item No. | Description | Cutting Size | EAN | Master Pack | Wheels Per Pack |
|----------|--------------------|------------------------|---------------|-------------|-----------------|
| 10507470 | Cu-AI WHEEL | Multi 67/ PRO/ MINI 30 | 5706915074703 | - | 4 |
| 10507471 | PVC WHEEL | Multi 67 | 5706915074710 | - | 4 |
| 10507472 | INOX WHEEL | Multi 67/ PRO/ MINI 30 | 5706915074727 | - | 4 |
| 10507473 | CQ WHEEL | CQ12-28 | 5706915074734 | - | 4 |
| 10507967 | Cu-AI / INOX WHEEL | MINI 16/MINI 25 | 5706915079678 | - | 4 |

The LENOX®
Advantage





The LENOX®
Advantage





LENOX 





Belgium, Netherlands & Luxemburg

Newell Rubbermaid bv
IRWIN Industrial Tools
Edisonstraat 8
5051 DS Goirle - The Netherlands
Tel: Netherlands +31 (0)20 20 61 636
Fax: +32 (0)20 70 06 026

Eastern Europe

Newell Rubbermaid Poland
Manieczki, ul. Wybickiego 2
63-112 Brodnica - Poland
Tel: +48 (0)61 28 14 200
Fax: +48 (0)61 28 20 524

France

Newell Rubbermaid-
IRWIN Industrial Tools
122, avenue du Général Leclerc
92100 Boulogne Billancourt Cedex - France
Tel: +33 (0) 1 57 32 35 72
Fax: +33 (0) 2 40 38 79 99

Germany, Switzerland and Austria

Newell Rubbermaid -
IRWIN Industrial Tools GmbH
Erching 10 (Schloßgut)
85399 Hallbergmoos - Germany
Tel: +49 (0)69 38 07 89 435
Fax: +49 (0)69 38 07 89 542

Italy

Newell Rubbermaid-
IRWIN Industrial Tools
Viale Edoardo Jenner 55
20159 Milano - Italy
Tel: +39 (0)02 - 66 80 67 61
Fax: +39 (0)02 - 66 80 03 83

Middle East & Africa

Newell Rubbermaid
Dubai Airport Free Zone
West Wing, Building 6W
Block-B, Office 640, PO Box - 54554
Dubai - United Arab Emirates
Tel: +971-4-2923444
Fax: +971-4-2923437

Northern Europe

Newell Rubbermaid A/S
Stamholmen 157, 3 sal
2650 Hvidovre - Denmark
Tel: +45 43 68 22 12
Fax: +45 43 68 22 13

Finland

Puh: +358 972 51 92 52
Faksi: +358 972 51 92 53

Sweden

Tel: +46 (0) 8-517 61 670
Fax: +46 (0) 8-517 61 671

Norway

Tel: +47 24 15 99 24
Fax: +47 24 15 99 25

Spain

NEWELL Iberia
Parque Empresarial Las Mercedes
C/ Campezo Nº 1, Edificio 4
3ª planta derecha.
28022 Madrid - Spain
Tel: +34 91 354 48 00

UK

Newell Rubbermaid -
IRWIN Industrial Tools
Halifax Avenue, Fradley Park
Lichfield, Staffordshire WS13 8SS - UK
Main Tel: +44 (0) 1543 44 70 01
Customer Service Tel: 0844 412 1190
Customer Service Fax: 0844 412 1184

Europe, Middle East and Africa (EMEA) Headquarters

Newell Rubbermaid Europe Sarl
Chemin de Blandonnet 10
CH-1214 Vernier / Geneve
Switzerland
Tel: +41 (0) 22 419 00 00
Fax: +41 (0) 22 419 01 92

NewellRubbermaid
Brands That Matter